

Electronic Health Records Home Care Client





Home Care, Client Case Study

Home Care, Client (HC1000)

Client is a 90 year old female that was discharged from the hospital on 11/9/2010 after being admitted with pneumonia. This client has a history of atrial fibrillation and an ankle decubitus ulcer. This client is currently taking the following medications:

- Albuterol 50mg solution 3 times a day (started 1/1/2005)
- Coumadin 2.5 mg on Monday, Wednesday and Friday (started on 1/1/2006)
- Lamacil to coat no more than 2 times per day (started on 1/1/2009)
- Tylenol 650 mg as needed (started on 1/1/1998)

The Belmont County Home Care Program received a referral for this client after she was discharged from the hospital. On November 11, 2010, she received an in-home comprehensive assessment to determine this client's needs by nurse Humphrey Bogart.

The client indicated that she was very disoriented during her latest hospitalization. She stated, "It was so frightening. I just didn't know where I was. The nurses were so nice to me. I am thankful they were there!" The client states that she gets short of breath while walking around the house. The client indicated that while she does live alone in her house, her daughter and niece visit her daily to assist with her activities of daily living. The client mentioned that she used to play cards three times a week and attend church on Sundays but has been unable to resume these activities since she was discharged. She stated, "I'm just not recovered from being in the hospital. I am still so weak." The client said that she used to take walks outside daily but doesn't feel she has the energy to resume her walks. The nurse asked the client if she has been eating well. The client said, "I get by. It has been more difficult preparing my food since I got home. My appetite is not what it was before either."

During the assessment, it was noted that the client wears corrective glasses, uses a hearing aid, and has no issues with her urinary or bowel function.

The client has a history of hypothyroidism and atrial fibrillation. She experiences chest pain which she takes Tylenol for as needed. In addition, she is using an anti-fungal cream for a rash in her abdominal crease. The rash is improving.

The client also has a stage 3 decubitus ulcer on her ankle with a dressing that is changed daily. A picture was taken of the wound.

The nurse notes that referrals will be made for PT, OT, speech therapy, respiratory therapy and nutritional support.

Vitals:

BP: 129/86 Edema: L pitting R pitting
Temp: 97 Lung Sounds: L -diminished

HR: 78 R – diminished; lower lobe crackle

Resp: 18 Blood Sugar: fasting

Wound Assessment:

Location: Ankle right outer Wound: bed granulating Stage: Stage 3 Drainage amt: Small

Length cm: 5.0 Drainage color: Serosanguinous

Width cm: 3.2 Drainage odor: Foul

Depth cm: 1.1 Dressing type: Bactroban applied and covered with telfa.

On November 15, 2010, a home visit was completed by nurse Humphrey Bogart. During the visit, this client's pain level was assessed. The client's wound was cleansed with normal saline, bactroban was applied to the scabbed areas and Telfa was applied. A picture of the wound was taken which appears to be improving. The rash on her abdominal crease is improving. It was discussed with the client that she had been evaluated by physical therapy (PT). Client says a PT visits daily and is performing strength exercises. Client is also using a three prong cane. Respiratory therapy was completed and client states that coughing has decreased but still expectorating small amounts of sputum. The nurse collected blood to run labs for INR. The client states that Meals on Wheels has been delivering meals and her appetite is so much better. The client's energy has been increasing since PT started with the strength exercises. She said, "that young man who is coming in to help me with my exercises is so nice." The client advised that her daughter will be away next week and her niece has been sick. The nurse will refer for home health aide for that week.

Vitals:

BP: 132/86 Edema: L 1+ R2+

Temp: 96.8 Lung Sounds: L -diminished

HR: 84 R – diminished: lower lobe crackle

Resp: 16 Blood Sugar: fasting

Wound Assessment:

Location: Ankle right outer Wound: granulating
Stage: Stage 2 Drainage amt: Scant
Length cm: 4.1 Drainage color: Serous
Width cm: 2.5 Drainage odor: None

Depth cm: .5 Dressing type: Bactroban applied and covered with telfa.

On November 22, 2010 nurse Humphrey Bogart assigned a home health aide to provide morning shower bath, shampoo, dressing assistance and medication reminders. A joint home visit was made to orient Susie Aide.

Pneumonia pathway

Problem	Category	Target	Guide
Pain	Assess (Surv)	signs/symptoms-physical	control measures & effectiveness
Pain	Assess (Surv)	signs/symptoms-physical	pain level assessment
Pain	Teach (TGC)	signs/symptoms-physical	pharmaceutical/non-pharmaceutical measures
Respiration	Assess (Surv)	signs/symptoms-physical	heart rate & rhythm; lung sounds; skin color/capillary refill; evidence of disease/infection
Respiration	Assess (Surv)	signs/symptoms-physical	shortness of breath; sputum color, amount, and characteristics; cough
Respiration	Assess (Surv)	infection precautions	practices; preventive measures
Respiration	Assess (Surv)	mobility/transfers	mobility/transfers; need for HHA/OT/PT
Respiration	Assess (Surv)	medication administration	inhalation therapy use/side effects; compliance
Respiration	Assess (Surv)	medication administration	need for O2 therapy; compliance
Respiration	Assess (Surv)	dietary management	weight; intake and output; skin turgor; need MOW
Respiration	Assess (Surv)	laboratory findings	lab results, need for sputum specimen
Respiration	Perform (T&P)	respiratory care	respiratory treatment
Respiration	Perform (T&P)	medication set-up	med set-up
Respiration	Perform (T&P)	specimen collection	lab collections prn
Respiration	Teach (TGC)	infection precautions	clean hands/house; avoid sick people
Respiration	Teach (TGC)	respiratory care	spirometry use; positioning; turn, cough, and deep breathe
Respiration	Teach (TGC)	mobility/transfers	conserve energy; expect long rehab
Respiration	Teach (TGC)	medication administration	inhalation therapy; antibiotic use/side effects; OTC use
Respiration	Teach (TGC)	dietary management	adequate nutrition/hydration; small/frequent meals
Respiration	Teach (TGC)	anatomy/physiology	disease process; when to call provider
Respiration	Teach (TGC)	behavior modification	avoid allergens, smoke & temp extremes
Respiration	Manage (CMgt)	signs/symptoms-physical	notify provider with continued/increased side effects
Respiration	Manage (CMgt)	medication coordination/ ordering	obtain refills in a timely manner; communicate with pharmacist/other providers
Respiration	Manage (CMgt)	specimen collection	call provider for lab orders and with results
Respiration	Manage (CMgt)	behavior modification	smoking cessation
Respiration	Manage (CMgt)	respiratory therapy care	schedule/provide services
Respiration	Manage (CMgt)	durable medical equipment	assistive devices
Respiration	Manage (CMgt)	durable medical equipment	oxygen; nebulizer

Assessment pathway

Problem	Category	Target	Guide
Income	Assess (Surv)	finances	income versus expenses
Sanitation	Assess (Surv)	environment	cleanliness
Residence	Assess (Surv)	home	state of repair; adequacy of space; accessibility, safety
Communication with community resources	Manage (CMgt)	social work/counseling care	evaluation
Social contact	Assess (Surv)	support system	adequate/appropriate
Interpersonal relationship	Assess (Surv)	stress management	coping ability
Spirituality	Assess (Surv)	spiritual care	adequate/appropriate
Mental Health	Assess (Surv)	signs/symptoms-mental/ emotional	adequate/appropriate
Caretaking/parenting	Assess (Surv)	support system	need for; adequate/appropriate
Neglect	Assess (Surv)	signs/symptoms-physical	evidence of
Neglect	Assess (Surv)	signs/symptoms-mental/ emotional	evidence of
Abuse	Assess (Surv)	signs/symptoms-physical	evidence of
Abuse	Assess (Surv)	signs/symptoms-mental/ emotional	evidence of
Hearing	Assess (Surv)	signs/symptoms-physical	hearing loss; evidence of disease/infection
Vision	Assess (Surv)	signs/symptoms-physical	diminished vision; evidence of disease/infection
Speech and language	Assess (Surv)	communication	speech/language abilities; need for ST
Speech and language	Manage (CMgt)	speech and language pathology care	schedule/provide services
Oral health	Assess (Surv)	signs/symptoms-physical	evidence of disease/infection
Cognition	Assess (Surv)	signs/symptoms-mental/ emotional	orientation; memory/recall; behavioral changes; affect
Pain	Assess (Surv)	signs/symptoms-physical	pain scale to determine severity; frequency/ duration; effectiveness of all control measures
Skin	Assess (Surv)	signs/symptoms-physical	evidence of disease/infection or healing
Neuro-musculo-skeletal function	Assess (Surv)	signs/symptoms-physical	need for PT/OT
Neuro-musculo-skeletal function	Manage (CMgt)	physical therapy care	schedule/provide services
Neuro-musculo-skeletal function	Manage (CMgt)	occupational therapy care	schedule/provide services
Respiration	Assess (Surv)	signs/symptoms-physical	evidence of disease/infection; lung sounds; need for respiratory therapy
Respiration	Manage (CMgt)	respiratory therapy care	schedule/provide services
Circulation	Assess (Surv)	signs/symptoms-physical	evidence/history of disease

Problem	Category	Target	Guide
Digestion-hydration	Assess (Surv)	signs/symptoms-physical	evidence of disease/infection
Bowel function	Assess (Surv)	signs/symptoms-physical	evidence of disease/infection
Urinary function	Assess (Surv)	signs/symptoms-physical	evidence of disease; incontinence/enuresis; retention
Communicable/infectious condition	Assess (Surv)	signs/symptoms-physical	evidence of disease/infection
Nutrition	Assess (Surv)	signs/symptoms-physical	intake and output; body mass index (BMI); need for home delivered meals
Nutrition	Manage (CMgt)	dietary management	home-delivered meals
Nutrition	Manage (CMgt)	nutritionist care	schedule/provide services
Sleep and rest patterns	Assess (Surv)	rest/sleep	amount/intervals
Physical activity	Assess (Surv)	exercises	type/amount
Personal care	Assess (Surv)	personal hygiene	adequate-appropriate need for assistance
Substance use	Assess (Surv)	substance use cessation	history of
Health care supervision	Assess (Surv)	medical/dental care	adequate/appropriate
Health care supervision	Manage (CMgt)	medical/dental care	schedule/provide services
Medication regimen	Assess (Surv)	medication administration	takes medications as prescribed/ recommended
Medication regimen	Assess (Surv)	medication action/side effects	evidence of
Medication regimen	Manage (CMgt)	medication coordination/ ordering	communicate with pharmacist/other providers

Copyright © 2012 Champ Software Inc.

Cardiac mini-pathway

Problem	Category	Target	Guide
Circulation	Assess (Surv)	signs/symptoms-physical	apical /radial pulses; BP sit/stand; results of pulse oximeter recordings
Circulation	Assess (Surv)	signs/symptoms-physical	edema; color/capillary refill; pulses; heart/lung sounds
Circulation	Assess (Surv)	signs/symptoms-physical	Jugular vein distension; signs & symptoms of decreased cardiac output, arrythmia
Circulation	Assess (Surv)	medication action/side effects	digoxin toxicity; signs & symptoms bleeding; need O2
Circulation	Assess (Surv)	dietary management	signs or symptoms high or low K+, vit K
Circulation	Perform (T&P)	specimen collection	PT/INR labs; digoxin toxicity
Circulation	Teach (TGC)	signs/symptoms-physical	cardiac complications; record daily pulse/BP; when to notify providers; report chest pain
Circulation	Teach (TGC)	positioning	elevate legs; TEDS stocking use;
Circulation	Teach (TGC)	medication action/side effects	digoxin toxicity; anticoagulant use/safety
Circulation	Teach (TGC)	dietary management	low Na/fat; I&O K+; vit K; report weight increase

Copyright © 2012 Champ Software Inc.

Client Referral/Admission Data

Client HC1000 HomeCare, Client Case Study

Opened on 11/11/2010

Name and Address

Client number: HC1000
Opened on: 11/11/2010
Case status: Open
Born on: 06/09/1921

Social security

number: 471-89-6423
Last name: HomeCare
First name: Client Case Study
Address 1: 123 Main St
City: Moorhead
State: MN
Zip code: 56560
Home phone: 218-233-4578

Home phone: 218-233-4578 Cell phone: 218-233-4689

Admission

Assigned Employees:
Aide, Susie
Bogart, Humphrey

Physicians (Health Care Providers):

Ćlinic Physician, Dr. Internist, Robert

Programs:

Home Care (11/11/2010 - [blank])

Diagnoses:

486 - Pneumonia, organism NOS (11/03/2010) 70706 - Pressure ulcer, ankle (11/05/2010) 42731 - Atrial fibrillation (04/09/2009)

Referral: Transfer from a Hospital facility

Medicaid no: 1345612332 Medicare no: 471-89-6423

Directions to home: Turn left at the Kwik Trip

Demographics

Gender: Female
Race: White
Marital status: Widowed
Location: Home
Housing type: House - Own
Living arrangement: Lives Alone

No in household: 1
Language 1: English
Employment status: Retired
Education level: Grade 12

Contacts

England, Georgia

Relationship: Daughter
Work Phone: 218-233-7531
Home Phone: 218-233-5678
Mobile Phone: 218-233-7465

Allergies

No Known Allergies

Medications

<u>Albuterol</u>

Dose: 50 mg
Route: Inhaler
Frequency: 3 times a day
Started On: 01/01/2005

Bactroban

Dose: 1 layer

Route: Topical
Frequency: Daily
Started On: 11/02/2010
Notes: apply to Ankle Ulcer

Coumadin

Dose: 2.5mg Route: Oral

Frequency: Monday, Wed., Friday

Started On: 01/01/2006

Lamicil Ointment

Dose: 1 layer Route: Topical

Frequency: no more than 2 x day

Started On: 01/01/2009

Notes: Ointment amount just to coat,

under breasts for rash

<u>Tylenol</u>

Dose: 650 mg
Route: Oral
Frequency: as needed
Started On: 01/01/1998

Discharge General notes

Files

Visit Report

Client HC1000 HomeCare, Client Case Study Visit date 11/11/2010

Visit

Activity Details

Start time: 09:15 AM End time: 11:15 AM Service: Assessment Employee: Bogart, Humphrey

Homebound?: Yes

Discharged from hospital post Activity summary:

pneumonia, History of A-Fib and

hypthyroidism

Files

Pathways

Assessment Homecare

Problems Income

Priority:

Low Severity: Actual Scope: Family

Signs/Symptoms • low/no income

Knowledge: 3 - Basic knowledge Behavior: 4 - Usually appropriate 3 - Moderate signs/symptoms Status:

11/11/2010 Identified:

Interventions

Assess (Surv) **finances**

income versus expenses

Notes: expenses are being covered by their

income

Residence

Severity: Adequate Identified: 11/11/2010

Interventions Assess (Surv)

<u>home</u>

state of repair; adequacy of space; accessibility,

safety

Social contact

Severity: Adequate Identified: 11/11/2010

Problem notes: Daughter visits every day

Interventions Assess (Surv)

support system

adequate/appropriate

Spirituality

Severity: Adequate Identified: 11/11/2010 Interventions

Assess (Surv)

spiritual care

adequate/appropriate

Notes: Daughter takes her to church weekly

Mental Health

Severity: Potential

Knowledge: 3 - Basic knowledge Behavior: 4 - Usually appropriate 5 - No signs/symptoms Status:

Identified: 11/11/2010

Problem notes: Has history of mild to moderate

> depression. States, "That was after my husband died two years

ago". State is better now.

Interventions

Assess (Surv)

signs/symptoms-mental/emotional

adequate/appropriate

Caretaking/parenting

Severity: Adequate Identified: 11/11/2010

Problem notes: Daughter comes in daily and

> sets up medications, basic hygiene needs and dresses.

Interventions

Assess (Surv)

support system

need for; adequate/appropriate

Neglect

Severity: Adequate 11/11/2010 Identified:

Interventions

Assess (Surv)

signs/symptoms-physical

evidence of

signs/symptoms-mental/emotional

evidence of

Hearing

Priority: Low Severity: Actual Scope: Individual

Signs/Symptoms

difficulty hearing speech in large group settings

difficulty hearing high frequency sounds

 abnormal results of hearing screening test 3 - Basic knowledge Knowledge:

4 - Usually appropriate Behavior: 3 - Moderate signs/symptoms Status:

Identified: 11/11/2010 Problem notes: Was seen by audiologist and

has hearing aids. Hearing adequate with hearing aids.

Interventions Assess (Surv)

signs/symptoms-physical

hearing loss; evidence of disease/infection

Vision

Priority: Low Severity: Actual Scope: Individual

Signs/Symptoms

difficulty seeing small print/calibrations

• difficulty seeing close objects

Knowledge: 4 - Adequate knowledgeBehavior: 4 - Usually appropriateStatus: 3 - Moderate signs/symptoms

Identified: 11/11/2010

Problem notes: Wears corrective lenses, vision

adequate with correction.

Interventions

Assess (Surv)

signs/symptoms-physical

diminished vision; evidence of disease/infection

Speech and language

Severity: Adequate Identified: 11/11/2010

Interventions

Assess (Surv)

communication

speech/language abilities; need for ST

Oral health

Severity: Adequate Identified: 11/11/2010

Interventions Assess (Surv)

signs/symptoms-physical

evidence of disease/infection

Cognition

Severity: Potential

Knowledge: 3 - Basic knowledge
Behavior: 4 - Usually appropriate
Status: 5 - No signs/symptoms

Identified: 11/11/2010

Problem notes: Experienced confusion during

recent hospitilization. "It was so frightening! I just didn't know where I was. The nurses were so nice to me. I am so thankful

they were there."

Interventions

Assess (Surv)

signs/symptoms-mental/emotional

orientation; memory/recall; behavioral changes;

affect

<u>Pain</u>

Priority: High Severity: Actual Scope: Individual

Signs/Symptoms

expresses discomfort/pain

Knowledge: 3 - Basic knowledgeBehavior: 4 - Usually appropriateStatus: 3 - Moderate signs/symptoms

Identified: 11/11/2010

Problem notes: States chest pain 3-4 of 10

without medication. Takes Tylenol PRN with good success.

Interventions

Assess (Surv)

signs/symptoms-physical

pain scale to determine severity;

frequency/duration; effectiveness of all control

measures

Notes: pain happening every night for 4 hr before

pt gets to sleep

vital signs/blood pressure

Teach (TGC)

relaxation/breathing techniques

breathing techniques

Skin

Priority: High
Severity: Actual
Scope: Individual

Signs/Symptoms

• lesion/pressure ulcer

excessively dry

pruritus

Knowledge: 3 - Basic knowledge Behavior: 4 - Usually appropriate

Status: 3 - Moderate signs/symptoms

Identified: 11/11/2010

Problem notes: Has Stage 3 Ankle ulcer with

daily dressing change. Uses anti-fungal cream in abdominal crease rash. States is improving.

Interventions

Assess (Surv)

signs/symptoms-physical

evidence of disease/infection or healing Notes: Has rash in abdominal crease, applies

antifungal cream BID

Perform (T&P)

dressing change/wound care

recommended technique

Notes: Ankle ulcer Stage 3. Cleansed with NS. Applied bactroban to scabbed areas. Applied Telfa.

Neuro-musculo-skeletal function

Priority: High Severity: Actual Scope: Individual

Signs/Symptoms

limited range of motion
decreased muscle strength
decreased coordination
decreased muscle tone

decreased balance

Knowledge: 3 - Basic knowledgeBehavior: 4 - Usually appropriateStatus: 4 - Minimal signs/symptoms

Identified: 11/11/2010

Problem notes: States "I'm just not recovered

from being in the hospital. I am

just still so weak"

Interventions

Assess (Surv)

signs/symptoms-physical need for PT/OT

Manage (CMgt)

physical therapy care

schedule/provide services

Notes: Referral related to decreased strength and balance. Appt made for tomorrow at 0900.

Respiration

Priority: High Severity: Actual Scope: Individual

Signs/Symptoms

- · abnormal breath patterns
- cough
- abnormal sputumnoisy respirations
- abnormal breath sounds

Knowledge: 3 - Basic knowledge

Behavior: 3 - Inconsistently appropriate Status: 3 - Moderate signs/symptoms

Identified: 11/11/2010

Problem notes: Moderate shortness of breath

wtih ambulation. Productive cough with thick white secretions

Interventions

Assess (Surv)

signs/symptoms-physical

evidence of disease/infection; lung sounds; need for respiratory therapy

Manage (CMgt)

respiratory therapy care

schedule/provide services

Notes: Referred to respiratory therapy to eval and

treat.

Circulation

Priority: High Severity: Actual Scope: Individual

Signs/Symptoms

- irregular heart rate
- abnormal heart sounds/murmurs

Knowledge: 3 - Basic knowledge

Behavior: 3 - Inconsistently appropriate
Status: 4 - Minimal signs/symptoms

Identified: 11/11/2010

Problem notes: History of atrial fibrillation. Is

taking Coumadin.

Interventions

Assess (Surv)

signs/symptoms-physical evidence/history of disease

Digestion-hydration

Severity: Adequate Identified: 11/11/2010

Interventions

Assess (Surv)

signs/symptoms-physical evidence of disease/infection

Bowel function

Severity: Adequate Identified: 11/11/2010

Interventions

Assess (Surv)

signs/symptoms-physical

evidence of disease/infection

Urinary function

Severity: Adequate Identified: 11/11/2010

Interventions

Assess (Surv)

signs/symptoms-physical

evidence of disease; incontinence/enuresis;

retention

Nutrition

Priority: High

Severity: Health Promotion

Scope: Individual

Knowledge: 3 - Basic knowledge
Behavior: 4 - Usually appropriate
Status: 5 - No signs/symptoms

Identified: 11/11/2010

Problem notes: States "I get by. It has been

more difficult preparing my food since I got home. My appetite is

just not what it was before

either"

Interventions Assess (Surv)

signs/symptoms-physical

intake and output; body mass index (BMI); need

for home delivered meals

Notes: needs home dely meals: dau doesn't

provide lunch
Manage (CMgt)

<u>dietary management</u> home-delivered meals

Notes: Meals on Wheels will start on Monday

Sleep and rest patterns

Severity: Adequate Identified: 11/11/2010

Interventions Assess (Surv)

rest/sleep

amount/intervals

Physical activity

Priority: High
Severity: Actual
Scope: Individual

Signs/Symptoms

sedentary life style

• inadequate/inconsistent exercise routine Knowledge: 3 - Basic knowledge

Behavior: 3 - Inconsistently appropriate Status: 3 - Moderate signs/symptoms

Identified: 11/11/2010

Problem notes: States she doesn't have the

energy to get out and walk

Interventions

Manage (CMgt)

physical therapy care

coordination among providers

Notes: Will discuss with PT to show her

appropriate exercises

Personal care

Severity: Adequate Identified: 11/11/2010

Problem notes: Daughter assists daily. When

unavailable, niece comes in

Interventions Assess (Surv)

<u>personal hygiene</u> adequate-appropriate need for assistance

Health care supervision

Severity: Adequate Identified: 11/11/2010

Interventions

Assess (Surv)

medical/dental care adequate/appropriate

Medication regimen

Severity: Adequate Identified: 11/11/2010

Interventions
Assess (Surv)

medication administration

takes medications as prescribed/recommended

medication action/side effects

evidence of

Problems Not Addressed At This Time

Sanitation

Communication with community resources

Severity: Adequate Identified: 11/11/2010

Problem notes: No barriers to understanding

obtaining services

Interpersonal relationship

<u>Abuse</u>

Communicable/infectious condition

Substance use

Vitals

General

Blood pressure: 129/86
Temperature: 97.0
Pulse: 78
Respiration rate: 18
Adult height inches: 64.0
Adult weight lbs: 160

Adult body mass

index: 27.5

Lung Sounds

Left: Diminished throughout

Right: Diminished throughout, Lower

lobe crackles

Pregnancy Post-Partum Child

Pain Assessment

Location of pain: Lower chest area with breathing

What makes pain

better?: Sitting in recliner and slow

breathing

What makes pain

worse?: walking Pain level: 7

Wound Care

Location, describe: Ankle right outer Full Thickness: Stage: Stage III
Length in cm: 5.0
Width in cm: 3.2
Depth in cm: 1.1

Drainage Type: Serosanguineous

Drainage Amt: Small Drainage Odor: Foul

Wound Bed: Granulation Tissue

Dressing Type: Bactroban applied and covered

with telfa

Sign and date:	
orgin and date.	

Visit Report

Client HC1000 HomeCare, Client Case Study Visit date 11/15/2010

Visit

Activity Details

Start time: 10:00 AM
End time: 10:55 AM
Service: Skilled Nursing
Employee: Bogart, Humphrey

Homebound?: Yes

Activity summary: Recent hospitilization for

pneumonia and has ulcer on ankle. (Document here ONLY what you can't document elsewhere, DON'T duplicate

your documentation)

Files

Pathways

Cardiac Mini, Pneumonia

Problems

<u>Pain</u>

Priority: High
Severity: Actual
Scope: Individual

Signs/Symptoms

• expresses discomfort/pain Identified: 11/15/2010

Interventions

Assess (Surv)

signs/symptoms-physical pain level assessment

Notes: Level1/10 takes Tylenol 650 mg. as needed

<u>Skin</u>

Priority: High
Severity: Actual
Scope: Individual

Signs/Symptoms

lesion/pressure ulcerexcessively dry

• pruritus

Identified: 11/15/2010

Interventions

Assess (Surv)

signs/symptoms-physical

rash in abdominal crease

Notes: Rash on abdomincal crease improving. is

applying antifungal cream BID

Perform (T&P)

dressing change/wound care

Ankle ulcer stage 3. Cleansed with NS. Applied bactroban to scabbed areas. Applied Telfa Notes: Wound on ankle showing some

improvement.

Respiration

Priority: High Severity: Actual Scope: Individual

Signs/Symptoms

abnormal breath patterns

• cough

abnormal sputumnoisy respirations

abnormal breath sounds

Identified: 11/15/2010

Interventions

Assess (Surv)

signs/symptoms-physical

heart rate & rhythm; lung sounds; skin

color/capillary refill; evidence of disease/infection shortness of breath; sputum color, amount, and

characteristics; cough

Notes: States coughing is decreased. Continues to expectorate sm. amounts of thick creamy sputum.

infection precautions

practices; preventive measures

medication administration

inhalation therapy use/side effects; compliance

need for O2 therapy; compliance

Perform (T&P)

respiratory care

respiratory treatment Notes: Albuterol neb

Teach (TGC)

infection precautions

clean hands/house; avoid sick people

respiratory care

spirometry use; positioning; turn, cough, and

deep breathe mobility/transfers

conserve energy; expect long rehab

medication administration

inhalation therapy; antibiotic use/side effects; OTC

use

dietary management

adequate nutrition/hydration; small/frequent meals

anatomy/physiology

disease process; when to call provider

behavior modification

avoid allergens, smoke & temp extremes

Circulation

Priority: High
Severity: Actual
Scope: Individual

Signs/Symptoms

• edema

irregular heart rate

abnormal heart sounds/murmurs
 44/45/2010

Identified: 11/15/2010

Interventions

Assess (Surv)

signs/symptoms-physical

edema; color/capillary refill; pulses; heart/lung

sounds

medication administration

correct schedule correct technique

digoxin toxicity; s/s bleeding; need O2

dietary management

signs or symptoms high or low K+, vit K

Perform (T&P)

specimen collection

PT/INR labs; digoxin toxicity

Notes: For INR **Teach (TGC)**

positioning

elevate legs; TEDS stocking use;

dietary management

low Na/fat; I&O; K+; vit K; report weight increase

Personal care

Priority: High Severity: Actual Scope: Individual

Signs/Symptoms

· difficulty with bathing

difficulty dressing lower body
difficulty dressing upper body
Identified: 11/15/2010

Problem notes: Her daughter will be out of town

next week. Client's niece has been ill. Client will need HHA for next week to assist with hygiene and dressing in the morning.

Interventions
Manage (CMgt)

paraprofessional/aide care

schedule services

Notes: Scheduled HHA to come in AM and HS to assist with dressing and hygeine; also light housekeeping and assist with Breakfast.

Problems Not Addressed At This Time Neuro-musculo-skeletal function

> Priority: Low Severity: Actual

Scope: Actual Individual

Signs/Symptoms

limited range of motion
decreased muscle strength
decreased coordination
decreased muscle tone
decreased balance

Identified: 11/15/2010

Problem notes: PT evaluated. Para coming in

every afternoon for strengthening and balance exercises. Has three prong cane

and appears to be using

appropriately.

Nutrition

Priority: Low

Severity: Health Promotion

Scope: Individual Identified: 11/15/2010

Problem notes: Meals on Wheels brings in

evening meal each day. Client states if enjoyed the meals and eats most of what is sent. "My appetite is so much better".

Physical activity

Priority: Low Severity: Actual Scope: Individual

Signs/Symptoms

• sedentary life style

• inadequate/inconsistent exercise routine

Identified: 11/15/2010

Problem notes: "That young man who is coming

in to help me with my exercises is so nice". States her energy

level is improving.

Vitals

General

Blood pressure: 132/86
Temperature: 96.8
Pulse: 84
Respiration rate: 16
Adult weight lbs: 165

Edema left: 1+ Pitting: Yes Edema right: 2+ Pitting: Yes

Lung Sounds

Left: Diminished throughout

Right: Diminished throughout, Lower

lobe crackles

Pregnancy Post-Partum

Child

Pain Assessment

Wound Care

Location, describe: Right outer ankle Full Thickness: Stage: Stage II Length in cm: 4.1 Width in cm: 2.5 Depth in cm: 0.5

Width in cm: 2.5
Depth in cm: 0.5
Drainage Type: Serous
Drainage Amt: Scant
Drainage Odor: None

Wound Bed: Granulation Tissue

Dressing Type: Applied bactroban and covered

with telfa

Sign and date:

Assignments for Susie Aide as of 11/22/2010 (Supervised by Humphrey Bogart)

Agency: Bev Larson's Combined Sandbox

Address: 100 Memorial View Court Phone: 507-388-4141 Onalaska, WI 54650 Fax: 507-388-4991

Client Number: HC1000 Opened on: 11/11/2010
Client name: Client Case Study HomeCare Born on: 06/09/1921
Address: 123 Main St Home phone: 218-233-4578

Moorhead, MN 56560 Cell phone: 218-233-4689

Directions: Turn left at the Kwik Trip

Physician(s): Dr. Clinic Physician
Robert Internist

Diagnoses: Pneumonia, organism unspecified (11/03/2010)

Pressure ulcer, ankle (11/05/2010) Atrial fibrillation (04/09/2009)

Task	Notes
Help with dressing	assist with dressing AM; after baths if bath day
Medicaton reminders	Dau. will have set up meds; remind to take as set up. Notify nurse if more setup required.
Set hair	
Shampoo hair	1xweek
Shower bath	3xweek; wash carefully around the dressing on ankle. Keep dressing dry.
Skin care	observe skin for abrasions; sores or any possible sites of infection.

